Rometec srl - www.rometec.it - info@rometec.it - Rometec srl - www.rometec.it - info@rometec.it

Hikelok®
Solution Provider For Fluid Systems

Condensate Pots

CP1 Series



- Maximum working pressure up to 6000 psig (413 bar)
- Working temperature from -65℉ to 850℉ (-53℃ to 454℃)
- 304 and 316 stainless steel material

www.hikelok.com

Rometec srl - www.rometec.it - info@rometec.it - Rometec srl - www.rometec.it - info@rometec.it

Rometec srl - www.rometec.it - info@rometec.it - Rometec srl - www.rometec.it - info@rometec.it

Features

- Maximum working pressure up to 6000 psig (413 bar)
- Working temperature from -65℉ to 850℉ (-53℃ to 454℃)
- 304 and 316 stainless steel material
- Socket weld connection according to ASME B16.11
- Butt welding ends according to ASME B16.9
- NPT according to ASME B1.20.1 taper pipe thread
- Variety of end connections

Standard Materials of Construction



Material	Body	Cap
316 S.S.	TP316/A312	F316/A182
316L S.S.	TP316L/A312	F316L/A182
304 S.S.	TP304/A312	F304/A182
304L S.S.	TP304L/A312	F304L/A182
CS	A106	A105

Dimensions

Pipe	D (mm)	L (mm)	Capacity (L)
NPS 4	114.3	360	2.6

Configuration

Schematic	Designator	Schematic	Designator	Schematic	Designator
	2A		2B		3A
	3B		4A		4B

Rometec srl - www.rometec.it - info@rometec.it - Rometec srl - www.rometec.it - info@rometec.it

Rometec srl - www.rometec.it - info@rometec.it - Rometec srl - www.rometec.it - info@rometec.it

How to Order

CP1 — 3B — FNPT8 — MSW14 — CL1500 — 316

Series	Configuration	Port 1 Type	Port 1 Size	Port 2/3/4 Type / Port 2/3/4 Size	ASME Class	Body Material
CP1	2A 2B 3A 3B 4A 4B	FNPT Female NPT NPT Male NPT FBT Female BSPT MBT Male BSPT FBP Female BSPP MBP Male BSPP FSW Fractional Tube Socket Weld MSW Metric Tube Socket Weld FBW Fractional Tube Butt Weld MBW Metric Tube Butt Weld PSW Pipe Socket Weld PBW Pipe Butt Weld	2 1/8 in. 4 1/4 in. 8 1/2 in. or 8 mm 10 10 mm 12 3/4 in. or 12 mm 14 14 mm 16 1 in. or 16 mm	Same as port 1 type and port 1 size If port2/3/4 and port 1 are the same, eliminate the port 2/3/4 designator	CL150 CL300 CL600 CL900 CL1500 CL2500	316 316 S.S. 316L 316L S.S. 304 304 S.S. 304L 304L S.S. CS Steel

Rometec srl - www.rometec.it - info@rometec.it - Rometec srl - www.rometec.it - info@rometec.it