Rometec srl - www.rometec.it - info@rometec.it - Rometec srl - www.rometec.it - info@rometec.it



# **RECYCLING SYSTEMS**



Sentry SmartSkim

#### **COOLANT RECYCLING SYSTEMS**

Maximizing efficient operations starts with unique solutions to complex problems. Industrial fluid recycling is one of these intricate challenges. But it doesn't have to be.

Coolant recycling systems, such as CoolantLoop from the Sentry SmartSkim line can help manufacturers elongate the life of their equipment and minimize their bottom line coolant costs by up to 65%.

Sentry's easy-to-use coolant recycling machine easily removes tramp oils, solids, and bacteria from dirty sumps regardless of coolant brand. Through continuous system recirculation, your team assures that stagnation is limited and your equipment life is protected.

#### **MODELS**

CL400 | CL800 | CL1200 | CL2400

#### **BENEFITS**

- Designed for easy installation and minimal maintenance
- Minimal operator involvement and training
- Eliminates environmental risks and the liability of off-site disposal
- Reduces the cost of new coolant concentrate purchases by 35% to 65%


#### **FEATURES**


- Dual compartment processing tank
- Variety of coolant recycling system sizes to meet your operational needs
- Stainless steel strainer basket fitted with reusable micron filters
- Standard units run on plant air only





## Rometec srl - www.rometec.it - info@rometec.it - Rometec srl - www.rometec.it - info@rometec.it





SPECIFICATIONS	
Wetted Materials	304 SS and Buna-N
Instrument Air Required	30 PSI (2.07 bar); air consumption <15 scfm
Input Power	120V (240V available on request)
Materials of Construction	304 SS
Process Pressure	40 PSI (3 Barg)
Flow Rate	Up to 5 GPM
Process Temperature	< 150°F (66°C)

### sentry-equip.com

966 Blue Ribbon Circle North, Oconomowoc, WI 53066 U.S.A. | +1-262-567-7256 | sales@sentry-equip.com



© 2015 Sentry Equipment Corp. All rights reserved. All product and company names are property of their respective owners. It is solely the responsibility of end users, through their own testing and analysis, to select products and materials suitable for their specific application requirements, ensure they are properly installed, safely applied and properly maintained, and to limit their use to their intended purpose. Improper selection, installation or use may result in personal injury or property damage.